

Engineered Applications of Electro-Spark Deposition (ESD) for Component Repair

AC9163-5

HCAT TWG Meeting Toronto, Ontario September 24th, 2002

ADVANCED SURFACES AND PROCESSES, INC.

Mike Dent - PEWG Program Manager

Clayton Lindsay - ASAP Mechanical Engineer



maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar OMB control number.	ion of information. Send comments arters Services, Directorate for Infor	regarding this burden estimate of mation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	nis collection of information, Highway, Suite 1204, Arlington		
1. REPORT DATE 24 SEP 2002		2. REPORT TYPE		3. DATES COVE 00-00-2002	red 2 to 00-00-2002		
4. TITLE AND SUBTITLE		5a. CONTRACT	NUMBER				
Engineered Applic Component Repair	5b. GRANT NUMBER						
Сотронент Керап	5c. PROGRAM ELEMENT NUMBER						
6. AUTHOR(S)	5d. PROJECT NUMBER						
					5e. TASK NUMBER		
				5f. WORK UNIT NUMBER			
	ZATION NAME(S) AND AES and Processes, Inc., 97113	` /		8. PERFORMING REPORT NUMB	G ORGANIZATION ER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)			
				11. SPONSOR/M NUMBER(S)	ONITOR'S REPORT		
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited					
	OTES of Hard Chrome Pla d by SERDP/ESTCI		ew Meeting, Septe	ember 25-26,	2002, Toronto,		
14. ABSTRACT							
15. SUBJECT TERMS							
16. SECURITY CLASSIFIC	17. LIMITATION OF	18. NUMBER	19a. NAME OF				
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 14	RESPONSIBLE PERSON		

Report Documentation Page

Form Approved OMB No. 0704-0188

Project Objective

- To determine feasibility of utilizing the ESD process for cost effective repair of components
 - No known method of repair
 - Existing repairs utilize HAZMATS
 - Repair of HAZMAT coatings
 - Current repairs impractical
 - No replacement parts available



Participants

- PEWG
- ESTCP/HCAT
- GEAE
- PW
- Oklahoma City ALC
- NADEP Jacksonville
- NADEP Cherry Point
- NADEP North Island
- Anniston Army Depot
- Corpus Christi Army Depot

- ARL
- AFRL
- NRL
- PNNL
- EWI
- NSWC Carderock
- US Army IEC
- Boeing St. Louis
- Rowan Technology Group
- Dynamics Research Corp.

ADVANCED SURFACES AND PROCESSES, INC.



Project Scope

- ESD repair of Electrolytic Hard Chrome (EHC) coatings
- ESD repair of component substrate materials



Project Methodology - GTE

- Select candidate materials and electrodes
- Optimize ESD parameters for selected substrate/electrode combinations
- Perform materials evaluation and mechanical testing
- Create candidate part screening criteria based on test results
- Develop repair procedures for candidate parts
- Test candidate parts as required
- Implement technology



Repair of EHC - Status

- Work Completed
 - Materials Identified
 - Some materials obtained
 - Some specification identified
 - Some candidate parts identified
 - Most information based upon HVOF JTP



Repair of EHC - Materials

- Base Materials
 - IN718, AMS 5663
 - 4340, AMS 6415
 - 17-4PH, AMS 5355
- Possible Electrodes
 - Chromium
 - Ni-Chrome
 - Carbides

- EHC
 - MIL-STD-1501
 - Supported by QQ-C-320
 - _ .003" .015" thickness



ADVANCED SURFACES AND PROCESSES, INC.



Substrate Repair - Status

- Candidate materials selected
- Most material received
- Gathering materials and mechanical testing information
- Beginning process optimization
- Drafting process specifications based upon optimization results



Substrate Repair - Materials

Substrate	Specification	Electrode Specification	
IN 718	AMS 5663	AMS 5832	
IN 625	AMS 5666	AMS 5837	
Hastelloy X	AMS 5754	AMS 5798	
Haynes 188	AMS 5772	AMS 5801	
410 Stainless	AMS 5504	AMS 5823	
17-4PH	AMS 5604	AMS 5825	

ADVANCED SURFACES AND PROCESSES, INC.



Substrate Repair - Optimization

- Using DOE approach to optimize ESD parameters
 - Varying Capacitance, Voltage and Current
 - Measuring Deposition Rate, Inclusion %, Bond and HAZ
- Repairs currently underway
 - 50% complete on Hastelloy X
 - 40% complete on IN625



Materials and Mechanical Testing

- Materials Testing
 - Completed prior to mechanical testing
 - Iterative process to assist in ESD optimization
 - Metallurgical evaluations
 - Cracking, Porosity, Inclusions, etc.
 - Bond evaluations
 - Bond buttons, bend testing
 - HAZ
 - Micro-hardness gradients
 - Others ?? (residual stress, element mapping)



Materials and Mechanical Testing

- Mechanical Testing
 - Completed after ESD optimization, materials testing
 - Possible testing includes
 - Low Cycle Fatigue, High Cycle Fatigue (RT & Elevated)
 Tensile, Fatigue Crack Growth, Creep/Stress Rupture,
 Long Term Stability
 - DOE/Specifics needed
 - Definition of defect needed for each instance



ESD Specification & ESD Procedure

- ESD Specification Based upon AWS D17
 - Definition of weld type (repair vs. coatings)
 - Qualification of welder
 - Acceptance Criteria
 - Initially based upon AWS D17, Class A, B & C?
 - ESD specific criteria created during development?
- ESD Procedure Based upon AWS B2.1 ?
 - ESD equipment parameters
 - Technique description
 - Substrate/electrode/geometry specific



Questions -

